

```

-- Title Statement (optional)
-- Include Statement (optional)
-- Constant Statement (optional)
-- Define Statement (optional)
-- Parameters Statement (optional)
-- Function Prototype Statement (optional)
-- Options Statement (optional)
-- Assert Statement (optional)

-- Subdesign Section
subdesign calendar
(
    VALUE[7..0] :input;
    SELECT[2..0] :input;
    nPRESET :input;
    CLOCK1M :input;
    YEAR[15..0] :output;
    MONTH[4..0] :output;
    DAY[5..0] :output;
    HOUR[5..0] :output;
    MINUTE[6..0] :output;
    SECOND[6..0] :output;
)
-- Variable Section (optional)
variable
    -- If Generate Statement (optional)

    -- Node Declaration (optional)
    isLeapYear :node;

    -- Instance Declaration (optional)

    -- Register Declaration (optional)
    YEAR[15..0] :dff;
    MONTH[4..0] :dff;
    DAY[5..0] :dff;
    HOUR[5..0] :dff;
    MINUTE[6..0] :dff;
    SECOND[6..0] :dff;

    counter[19..0] :dff;
    -- State Machine Declaration (optional)

    -- Machine Alias Declaration (optional)

    -- Assert Statement (optional)

-- Logic Section
begin
    -- Defaults Statement (optional)

    -- The following statements can be freely intermixed:

    -- Boolean Equation
YEAR[].clk = CLOCK1M;
YEAR[].clrn = VCC;
YEAR[].prn = VCC;
MONTH[].clk = CLOCK1M;
MONTH[].clrn = VCC;
MONTH[].prn = VCC;
DAY[].clk = CLOCK1M;
DAY[].clrn = VCC;
DAY[].prn = VCC;
HOUR[].clk = CLOCK1M;
HOUR[].clrn = VCC;
HOUR[].prn = VCC;
MINUTE[].clk = CLOCK1M;

```

```

MINUTE[].clrn = VCC;
MINUTE[].prn = VCC;
SECOND[].clk = CLOCK1M;
SECOND[].clrn = VCC;
SECOND[].prn = VCC;

counter[].clk = CLOCK1M;
counter[].clrn = VCC;
counter[].prn = VCC;
    -- Case Statement

IF (YEAR[7..0] == H"00") THEN
    CASE YEAR[15..8] IS
        WHEN H"00" => -- year 0000
            isLeapYear = VCC;
        WHEN H"04" => -- year 0400
            isLeapYear = VCC;
        WHEN H"08" => -- year 0800
            isLeapYear = VCC;
        WHEN H"12" => -- year 1200
            isLeapYear = VCC;
        WHEN H"16" => -- year 1600
            isLeapYear = VCC;
        WHEN H"20" => -- year 2000
            isLeapYear = VCC;
        WHEN H"24" => -- year 2400
            isLeapYear = VCC;
        WHEN H"28" => -- year 2800
            isLeapYear = VCC;
        WHEN H"32" => -- year 3200
            isLeapYear = VCC;
        WHEN H"36" => -- year 3600
            isLeapYear = VCC;
        WHEN H"40" => -- year 4000
            isLeapYear = VCC;
        WHEN H"44" => -- year 4400
            isLeapYear = VCC;
        WHEN H"48" => -- year 4800
            isLeapYear = VCC;
        WHEN H"52" => -- year 5200
            isLeapYear = VCC;
        WHEN H"56" => -- year 5600
            isLeapYear = VCC;
        WHEN H"60" => -- year 6000
            isLeapYear = VCC;
        WHEN H"64" => -- year 6400
            isLeapYear = VCC;
        WHEN H"68" => -- year 6800
            isLeapYear = VCC;
        WHEN H"72" => -- year 7200
            isLeapYear = VCC;
        WHEN H"76" => -- year 7600
            isLeapYear = VCC;
        WHEN H"80" => -- year 8000
            isLeapYear = VCC;
        WHEN H"84" => -- year 8400
            isLeapYear = VCC;
        WHEN H"88" => -- year 8800
            isLeapYear = VCC;
        WHEN H"92" => -- year 9200
            isLeapYear = VCC;
        WHEN H"96" => -- year 9600
            isLeapYear = VCC;
        WHEN OTHERS =>
            isLeapYear = GND;
    END CASE;
ELSIF (YEAR[1..0] == B"00") THEN
    isLeapYear = VCC;
END IF;
    -- For Generate Statement

    -- If Generate Statement

    -- If Then Statement

```

```

IF (!nPRESET) THEN -- see if preset strobed
counter[].clrn = GND;
CASE SELECT[] IS
  WHEN 0 =>
    YEAR[15..8] = VALUE[7..0];
    YEAR[7..0] = YEAR[7..0];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
  WHEN 1 =>
    YEAR[7..0] = VALUE[7..0];
    YEAR[15..8] = YEAR[15..8];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
  WHEN 2 =>
    MONTH[4..0] = VALUE[4..0];
    YEAR[] = YEAR[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
  WHEN 3 =>
    DAY[5..0] = VALUE[5..0];
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
  WHEN 4 =>
    HOUR[5..0] = VALUE[5..0];
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
  WHEN 5 =>
    MINUTE[6..0] = VALUE[6..0];
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    SECOND[] = SECOND[];
  WHEN 6 =>
    SECOND[6..0] = VALUE[6..0];
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
  WHEN OTHERS =>
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
END CASE;
ELSIF (counter[] == 1) THEN -- see if 1sec event
counter[] = 0;
IF (SECOND[] == B"1011001") THEN -- see if second is 59
SECOND[] = B"0000000";
IF (MINUTE[] == B"1011001") THEN -- see if minute is 59
MINUTE[] = B"0000000";
IF (HOUR[] == B"100011") THEN -- see if hour is 23
HOUR[] = B"000000";
IF (MONTH[] == B"00010") THEN -- see if month feb
IF ((isLeapYear & (DAY[] == B"101001"))) #

```

```

                (!isLeapYear & (DAY[] == B"101000"))) THEN -- see if day is 29th of
leap year or 28th
                DAY[] = B"000001";
                MONTH[3..0] = MONTH[3..0]+1; -- should become march 1st
                YEAR[] = YEAR[];
            END IF;
        ELSIF ((MONTH[] == B"00001") # (MONTH[] == B"00011") # (MONTH[] == B"00101") #
            (MONTH[] == B"00111") # (MONTH[] == B"01000") # (MONTH[] == B"01010") #
            (MONTH[] == B"10010")) THEN -- see if month is jan, march, may, july,
aug, oct or dec
            IF (DAY[] == B"110001") THEN -- see if day is 31th
                DAY[] = B"000001"; -- should become 1st
                IF (MONTH[] == B"10010") THEN -- see if month is dec
                    MONTH[] = B"00001"; -- should become jan
                    IF (YEAR[3..0] == B"1001") THEN -- see if year is xxx9
                        YEAR[3..0] = B"0000"; -- should become xxx0
                        IF (YEAR[7..4] == B"1001") THEN -- see if year is xx99
                            YEAR[7..4] = B"0000"; -- should become xx00
                            IF (YEAR[11..8] == B"1001") THEN -- see if year is x999
                                YEAR[11..8] = B"0000"; -- should become x000
                                IF (YEAR[15..12] == B"1001") THEN -- see if year is
9999
                                    YEAR[15..12] = B"0000"; -- should become 0000
                                END IF;
                            END IF;
                        END IF;
                    END IF;
                ELSE
                    YEAR[15..4] = YEAR[15..4];
                    YEAR[3..0] = YEAR[3..0]+1;
                END IF;
            ELSE
                MONTH[4] = MONTH[4];
                MONTH[3..0] = MONTH[3..0]+1;
                YEAR[] = YEAR[];
            END IF;
        ELSIF (DAY[3..0] == B"1001") THEN -- see if day is x9
            DAY[3..0] = B"0000";
            DAY[5..4] = DAY[5..4]+1;
            YEAR[] = YEAR[];
            MONTH[] = MONTH[];
        ELSE
            DAY[3..0] = DAY[3..0]+1;
            DAY[5..4] = DAY[5..4];
            YEAR[] = YEAR[];
            MONTH[] = MONTH[];
        END IF;
    ELSE -- month is arp, jun, sep, nov
        IF (DAY[5..0] == B"110000") THEN -- see if day is 30th
            DAY[5..0] = B"000001"; -- should become 1st
            MONTH[4] = MONTH[4];
            MONTH[3..0] = MONTH[3..0]+1; -- of next month
            YEAR[] = YEAR[];
        ELSIF (DAY[3..0] == B"1001") THEN -- see if day is x9th
            DAY[3..0] = B"0000"; -- should become x0th
            DAY[5..4] = DAY[5..4]+1;
            YEAR[] = YEAR[];
            MONTH[] = MONTH[];
        END IF;
    END IF;
ELSIF (HOUR[3..0] == B"1001") THEN -- see if hour is x9
    HOUR[3..0] = B"0000"; -- should become x0
    HOUR[5..4] = HOUR[5..4]+1;
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
ELSE
    HOUR[5..4] = HOUR[5..4];
    HOUR[3..0] = HOUR[3..0]+1;
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
END IF;
ELSIF (MINUTE[3..0] == B"1001") THEN -- see if minute is x9
    MINUTE[3..0] = B"0000"; -- should become x0

```

```

        MINUTE[6..4] = MINUTE[6..4]+1;
        YEAR[] = YEAR[];
        MONTH[] = MONTH[];
        DAY[] = DAY[];
        HOUR[] = HOUR[];
ELSE
    MINUTE[6..4] = MINUTE[6..4];
    MINUTE[3..0] = MINUTE[3..0]+1;
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
END IF;
ELSIF (SECOND[3..0] == B"1001") THEN -- see if second is x9
    SECOND[3..0] = B"0000"; -- should become x0
    SECOND[6..4] = SECOND[6..4]+1;
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
ELSE
    SECOND[3..0] = SECOND[3..0]+1;
    SECOND[6..4] = SECOND[6..4];
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
END IF;
ELSE
    YEAR[] = YEAR[];
    MONTH[] = MONTH[];
    DAY[] = DAY[];
    HOUR[] = HOUR[];
    MINUTE[] = MINUTE[];
    SECOND[] = SECOND[];
    counter[] = counter[]+1;
END IF;

-- In-Line Logic Function Reference
-- Truth Table Statement
-- Assert Statement
end;
```